Develop Plan for Analysis of the Effluent from GCM Production

Fuel Cycle Research & Development

Milestone M4FT-15SN0312045

DOE/NE-Fuel Cycle R&D Materials Recovery and Waste Form Development

Prepared for
U.S. Department of Energy
Office of Nuclear Energy –
Separations Working Group
Tina M. Nenoff (Corresponding Author)
Curtis D. Mowry
Sandia National Laboratories
August 24, 2015
FCRD-MRWFD-2015-000708







DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

Develop Plan for Analysis of the Effluent from GCM Production

Fuel Cycle Research & Development

Prepared for U.S. Department of Energy Materials Recovery and Waste Form Development

Tina M. Nenoff, Curtis Mowry

Sandia National Laboratories

August 24, 2015

FCRD-MRWFD-2015-000708

SAND2015-XXXX

Plan: This milestone is focused on developing a plan for the analysis of the effluent from the Sandia low temperature sintering Bi-Si-Zn oxide glass composite material (GCM) waste form for the long term storage of iodine and its capture materials.

To date, we have been using the thermal gravimetric analysis – differential scanning calorimeter (TGA-DSC; (TA Instruments, New Castle, DE)) with simultaneous mass spectrographic (MS) analysis (Thermo Star $^{\text{IM}}$, Pfeiffer Vacuum GmbH, Asslar, Germany) of the off-gas. The GCM is pre-pressed into a pellet, a section is cut off to fit in the TGA pan, and the sample is then heated in flowing air or N_2 , at 5°C/min to 550°C and held at that temperature for 1 hour. It is then cooled to room temperature. During this sintering process, the off gas effluent is collected and recorded by the MS. We have successfully monitored the water, iodine species, nitrates, and organics (in the case of organic iodide in the adsorption studies).

We plan to use these techniques to analyze D₂O loaded Ag-Mordenite zeolite sample provided by ORNL (R. Jubin, S. Bruffey) in FY15.

In the future case of monitoring off gases such hydrogen isotopes, we plan to utilize these analytical devices:

- (1) NMR: solid state and solution nuclear magnetic resonance (NMR) characterization of zeolites and adsorption chemistry will be performed at the SNL NMR facility with houses three instruments dedicated to the characterization of materials in either solid state or solution studies. Both static and MAS NMR solid state probes with variable temperature ranges of -150°C to 150°C are currently available for these experiments.
- (2) GC: gas chromatography (GC) with thermal conductivity detection will be performed for the quantitative analysis of static off-gases. Gas samples are typically used, but gases can also be captured from solid or liquid samples for analysis.
- (3) GC with ionization detector: Sandia has recently developed method for the quantitative analysis of low levels of water in either gases, liquid, or solids. This is important for off-gas effluent studies as the hydrogen isotopes will probably be assocated with offgasing water/steam. This method spans a large dynamic range and is specific to water.

ACKNOWLEDGEMENTS

We acknowledge funding from the DOE/NE Fuel Cycle R&D – Materials Recovery and Waste Form Development (MRWFD). Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

DISTRIBUTION LIST

1	MS1415	Tina M. Nenoff, SNL, 1100
1	MS0886	Curt D. Mowry, SNL, 1852
1	MS0889	Katheryn Helean, SNL, 1852
1	MS1427	Grant Heffelfinger, SNL, 1100
1	MS0899	Technical Library, SNL, 9536 (electronic copy)
		3, , , , , ,

James Bresee

Office of the Asst. Sec. for Nuclear Energy Global Nuclear Energy Partnership (NE-2.4) U.S. Department of Energy 1000 Independence Ave. SW Washington, DC, 20585

Kimberly Gray

Office of the Asst. Sec. for Nuclear Energy Global Nuclear Energy Partnership (NE-2.4) U.S. Department of Energy 1000 Independence Ave. SW Washington, DC, 20585

1 Terry A Todd

Idaho National Laboratory PO Box 1625 Idaho Falls, ID 83415

John Vienna

Pacific Northwest National Laboratory 902 Battelle Blvd. PO Box 999 Richland, WA 99352

1 Robert Jubin

Oak Ridge National Laboratory 1 Bethel Valley Road P.O. Box 2008, MS 6243 Oak Ridge, TN 37831-6243

TIO Document Management

GNEPTIODMS@inl.gov